



- -
- 21.5" FLAT 5-Wire Resistive Touch Display
- Aluminium
- Made in Spain
- Compact design



Touch Technology



Efficient Power Consumption




Double Display

Manufactured in Aluminium.  
Projected Capacitive Multitouch sensor (PCAP).



### Dimensions



### Specifications

#### Display

|                  |  |
|------------------|--|
| Touch technology | Projected Capacitive MultiTouch (PCAP) |
| Inches           | 21,5"                                  |

#### System

|            |   |
|------------|---|
| CPU        | - |
| Memory     | - |
| Hard Drive | - |
| Graphics   | - |
| Chipset    | - |
| OS         | - |

#### Input / Output

|              |                            |
|--------------|----------------------------|
| USB Ports    | 1 x USB (Touch Controller) |
| Serial Ports | -                          |
| Ethernet     | -                          |
| Video        | 1 x HDMI                   |
| Audio        | -                          |
| Expansión    | -                          |

#### Mechanical

|            |                   |
|------------|-------------------|
| Dimensions | 525 x 316 x 62 mm |
| Weight     | 8 kg              |
| Mount      | VESA 100 x 100    |
| Panel cut  | -                 |

#### Optionals

|              |                                  |
|--------------|----------------------------------|
| Screen       | High brightness for outdoors use |
| USB Ports    | Optional                         |
| Serial Ports | -                                |
| Modem        | -                                |
| WIFI Module  | -                                |
| Slot PCIe    | -                                |
| Others       | -                                |

#### Protection / Environmental Conditions

|                            |                |
|----------------------------|----------------|
| IP & Material              | Aluminum Front |
| °C Operation               | 0° a 60° C     |
| °C Storage                 | -10° a 70° C   |
| Humidity (no condensation) | 0% - 95%       |

#### Power Supply

|                        |  |
|------------------------|--|
| Input Voltage          | 12Vdc (External power supply 110-220Vac/12Vdc) |
| Optional Input Voltage | 12-36Vdc                                       |